

schrs

; created by Huw Pearce 3rd March 2018 from data on SCHRS web site																			
; Last Updated: March 2018																			
; Please note that if your boat is shown below, but without a rating, this means that we do not have one or more of the measurable data points required to calculate a rating. If you have																			
; CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	MGR	LB	TRAP	B27	LTM	SH	LF	
SCHRS	2Win Sonic	1.285	2	105	4.31	4.3	2.3	9.9	7.3	2.3	3.9	9.5			2	B	0.65		
SCHRS	2Win Sonic Solo	1.266	1	103	4.31	4.3	2.3	9.9	7.3			9.5			1	B	0.65		
SCHRS	2Win Twincat 13 without Spinnaker	1.492	2	110	3.85	3.85	2.1	8.419	5.29	2.829	3.919				1		0.78		
SCHRS	2Win Twincat 15 Sport	1.233	2	125	4.6	4.58	2.3	10.5	7.3	3	4.75	11.5			2	B	0.8		
SCHRS	2Win Tyka	1.377	2	115	4.31	4.3	2.3	8.5	5.95	2.4	3.9	9.5			2		0.65		
SCHRS	A-Class (Foils)	0.973	1	75	5.49	5.49	2.3	13.94	8.83				0.955		1		0.8	0.04	
SCHRS	A-Classic (straight/constant curve foils)	1.002	1	75	5.49	5.49	2.3	13.94	8.73				0.75		1		0.8	0.02	
SCHRS	AHPC Capricorn F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	AHPC Taipan 4.9	1.075	2	102	4.95	4.95	2.34	14.658	8.02	4.176	4.912			0.56	2		0.93		
SCHRS	AHPC Taipan 4.9 Spinnaker	1.026	2	102	4.95	4.95	2.34	14.658	8.02	4.176	4.912	17.5		0.56	2		0.93		
SCHRS	AHPC Taipan 4.9 Solo	1.097	1	100	4.95	4.95	2.34	14.658	8.02					0.56	1		0.93		
SCHRS	AHPC Taipan 4.9 Solo Spinnaker	1.033	1	100	4.95	4.95	2.34	14.658	8.02			17.5		0.56	1		0.93		
SCHRS	Alado 18 Aileron	1.088	2	183	5.48	5.4	2.5	15.3	8.2	4.4	5.8	18.9			2	B	0.6		
SCHRS	Alado 18 F18	1	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	Bim 16 Double Spinnaker	1.159	2	103	4.96	4.94	2.3	13.26	8.25			13		0.645	2	B	0.6		
SCHRS	Bim 16 Javelin 16 Solo Spinnaker	1.023	1	100	5	5	2.3	14.93	8.13			17.5		0.645	1		0.8		
SCHRS	Bim 16 Javelin Double Spinnaker	1.118	2	103	5	5	2.3	13.95	8.82			17.5		0.645	2		0.8		
SCHRS	Bim 18 Class A (>100 Kgs)	1.08	1	100	5.48	5.48	2.3	13.94	8.82					0.65	1	B	0.6		
SCHRS	Bim 18 Double	1.071	2	138	5.5	5.47	2.55	17.33	9.7			19.11		0.66	2	B	0.6		
SCHRS	Bim 18 Double Sloop	1.046	2	138	5.5	5.47	2.47	13.94	8.82	3.55	5	19.11		0.66	2	B	0.3		
SCHRS	Bim 20	1.027	2	183	6.09	5.9	3.01	21.59	10.23			19.6		0.62	2	B	0.6		
SCHRS	Bim Javelin 18 Hightech	1.011	2	130	5.5	5.5	2.5	20	10.3			20		1.02	2		0.8		
SCHRS	Bim Javelin 2 (not 18HT)	1.042	2	142	5.5	5.5	2.45	19.46	9.73			20		0.85	2		0.8		
SCHRS	Bimare X16 Double Spinnaker	1.123	2	107	5		2.38	13.94	8.64			14		0.95	2		0.8		
SCHRS	Bimare X16 Solo	1.091	1	103	5	5	2.38	13.94	8.64					0.95	1		0.8		
SCHRS	Bimare X16 Solo Spinnaker	1.041	1	104	5	5	2.38	13.94	8.64			14		0.95	1		0.8		
SCHRS	Bimare X16FPlus	1.028	2	117.7	5	5	2.5	15	7.915	3.7	5.065	17.5		0.95	2		0.895		
SCHRS	Bimare F16	1.035	2	125	5	5	2.5	15	8.1	3.7	5.64	17.5		0.9	2		0.98		
SCHRS	Bimare X4 F18	1	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	Blade 16 Double light (WS < 123 kgs)	1.012	2	107	5	5	2.5	15	8.1	3.7	6	17.5		1.06	2		0.98		
SCHRS	Blade 16 Solo light (WS< 119 kgs)	1.015	1	104	5	5	2.5	15	8.1			17.5		1.06	1		0.98		
SCHRS	C 4.8	1.285	2	130	4.8	4.46	2.3	12.12	7.22	3.1	3.8				2	B	no LTM		
SCHRS	C 4.8 Major	1.25	2	132	4.8	4.47	2.3	14.16	7.72	3.1	3.8				1	B	no LTM		
SCHRS	Catapult	1.263	1	100	5	5	2.25	10	6.5					0.3	1	B	0.5		
SCHRS	Cirrus 16 Q F 16	1.039	2	136	5		2.5	15	8.1	3.7	5.1	17.5		1.1	2		0.95		
SCHRS	Cirrus 16 Q Solo F16	1.059	1	131	5	5	2.5	15	8.1			17.5		1.1	1		0.95		
SCHRS	Cirrus B1 F18	1	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	Cirrus Ecole	1.09	2	165	5.52	5.52	2.55	13.8	7.8	3.75	5.15	15		0.515	2	B	0.4		
SCHRS	Cirrus Energy Regate	1.112	2	150	4.88	4.88	2.55	13.2	7.3	3.45	5.08	16.5		0.94	2	B	0.65		
SCHRS	Cirrus Energy Regate Solo	1.144	1	148	4.88	4.88	2.55	13.2	7.3			16.5		0.94	1	B	0.65		
SCHRS	Cirrus Evolution	1.04	2	152	5.08	5.08	2.55	15.6	7.93	4.15	5.7	19.5		0.94	2		0.72		
SCHRS	Cirrus Evolution Solo	1.086	1	148	5.08	5.08	2.55	15.6	7.93			17.3		0.94	1		0.72		
SCHRS	Cirrus F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Condor 16	1.183	2	146	5	4.87	2.3	12.75	6.9	5	4.6			0.57	1	B	no LTM		
SCHRS	Dart 16	1.301	2	150	4.8	4.8	2.3	11.71	6.99	2.573	4.258				1		0.535		
SCHRS	Dart 16 X Race Spinnaker	1.235	2	156	4.8	4.8	2.3	12.28	7.05	2.64	4.375	12.6			2		0.535		
SCHRS	Dart 18	1.215	2	140	5.46	5.214	2.29	12.92	7.42	3.376	4.042				1	B	no LTM		
SCHRS	Dart 18 Cat Boat	1.23	1	137	5.46	5.214	2.29	12.92	7.42						1	B	no LTM		
SCHRS	Dart 18 Spinnaker	1.169	2	142.5	5.46	5.214	2.29	12.92	7.42	3.16	4.5	12.9			1	B	no LTM		
SCHRS	Dart 20	1.096	2	170	5.94	5.673	2.44	17.92	8.693	4.72	4.914				2	B	no LTM		
SCHRS	Dart 20 TSX	1.105	2	208	5.94	5.673	2.44	19.042	8.963	4.985	5.901				2	B	no LTM		
SCHRS	Dart 20 TSX Spinnaker	1.068	2	214	5.94	5.673	2.44	19	8.98	5.22	5.88	15.8			2	B	no LTM		
SCHRS	Dart 6000	1.116	2	174	5.92	5.65	2.5	20.245	9.35			15.55			2	B	0.3		
SCHRS	Dart Hawk F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		

SCHRS	Dart Sting Double	1.341	2	125	4.54	4.336	2.13	11.42	7	2.4	3.7					1	B	no LTM		
SCHRS	Dart Sting Solo (with jib)	1.254	1	126	4.54	4.336	2.13	11.396	7.169	2.463	3.8					1	B	no LTM		
SCHRS	Dart Sting Solo (no jib)	1.358	1	123	4.54	4.336	2.13	11.396	7.169							1	B	no LTM		
SCHRS	Diam 3 F18	1	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21		1.4	2			1		
SCHRS	Drake	1.023	2	200	5.46	5.46	3.81	16.81	8.42	4.35	6.01	20.64		0.95	2			0.8		
SCHRS	Falcon F16 Double	1.032	2	127	5	5	2.5	15	8.1	3.7	5.64	17.5		1.06	2			0.98		
SCHRS	Falcon F16 Cat Boat	1.051	1	125	5	5	2.5	15	8.1			17.5		1.06	1			0.98		
SCHRS	Falcon 16 Double light (WS<123 kgs)	1.012	2	107	5	5	2.5	15	8.1	3.7	6	17.5		1.06	2			0.98		
SCHRS	Falcon 16 Solo light (WS<119 kgs)	1.015	1	104	5	5	2.5	15	8.1			17.5		1.06	1			0.98		
SCHRS	Flying Phantom	0.895	2	160	5.5		3	18	9.2	5.5	6.646	23.1	59.81	2.3	2			1.05	0.04	
SCHRS	Flying Phantom Essentiel	0.946	2	170	5.52		2.55	17	8.53	4.5	5.339	18.659	59	1.45	2			1	0.04	
SCHRS	Flying Phantom Essentiel side racks	0.937	2	180	5.52		3.54	17	8.53	4.5	5.339	18.659	59	1.45	2			1	0.04	
SCHRS	Formula 16 Double	1.028	2	123	5	5	2.5	15	8.1	3.7	5.64	17.5		1.06	2			0.98		
SCHRS	Formula 16 Solo	1.041	1	119	5	5	2.5	15	8.1			17.5		1.06	1			0.98		
SCHRS	Formula 18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2			1		
SCHRS	Goodall C2 F18	1	2	180	5.52	5.52	2.6	17	8.53	4.15	5.73	21		1.4	2			1		
SCHRS	Goodall Viper Double	1.04	2	129	5	5	2.5	15	8.1	3.7	5.64	17.5		0.85	2			0.93		
SCHRS	Goodall Viper Solo	1.056	1	124	5	5	2.5	15	8.1			17.5		0.85	1			0.93		
SCHRS	Gwynt 14	1.25	2	87	4.16	4.12	2.1	10.85	6.68	2.68	3.83	13.72			2	B	no LTM			
SCHRS	Hawke Surfcat 7020	1.291	1	100	3.96	3.76	1.88	9.36	6.5	2.76	5				1			no LTM		
SCHRS	Hawke Surfcat 7020 main only	1.463	1	100	3.96	3.76	1.88	9.36	6.5									no LTM		
SCHRS	Hobie 13	1.578	2	95	3.91	3.62	2.11	7.88	5.93	1.9	2.97				1	B	no LTM			
SCHRS	Hobie 14	1.405	1	109	4.25	4.08	2.34	11.224	5.95						1	B	no LTM	SH		
SCHRS	Hobie 14 race (with jib)	1.278	1	112	4.25	4.08	2.34	11.224	5.95	2.8	3.75				1	B	no LTM	SH		
SCHRS	Hobie 15	1.302	2	155	4.95	4.61	2.26	11.5	7.3	3.5	4.19				2	B	no LTM			
SCHRS	Hobie 16	1.193	2	145.15	5.08	4.722	2.41	15.19	7.375	4.87	4.5				2	B	no LTM	SH		
SCHRS	Hobie 16 Easy	1.294	2	145	5.08	4.722	2.41	11.324	7.4	3.7	4.1				2	B	no LTM	SH		
SCHRS	Hobie 16 Spinnaker	1.143	2	151	5.08	4.722	2.41	15.19	7.375	4.87	4.5	17.65			2	B	no LTM	SH		
SCHRS	Hobie 17 (without wings)	1.21	1	149.7	5.23	5.104	2.44	14.84	7.925					0.38	1	B	no LTM			
SCHRS	Hobie 17 (with wings)	1.196	1	157	5.23	5.104	3.05	14.84	7.925					0.38	1	B	no LTM			
SCHRS	Hobie 18	1.091	2	181.4	5.52	5.388	2.44	16	7.65	6.32	5.7			0.57	2	B	no LTM			
SCHRS	Hobie 18 Formula	1.082	2	190	5.52	5.388	2.44	17.47	8.32	5.72	5.15			0.85	2	B	no LTM			
SCHRS	Hobie 18 Formula Spinnaker	1.032	2	190	5.52	5.388	2.44	17.47	8.32	5.72	5.15	20.3		0.85	2	B	no LTM			
SCHRS	Hobie 18 Formula 104	1.059	2	195	5.52	5.388	2.44	17.47	8.32	4.1	4.8	20.3		0.85	2	B	no LTM			
SCHRS	Hobie 18 Magnum (with wings)	1.093	2	200	5.52	5.388	2.8	16	7.65	6.32	5.7			0.57	2	B	no LTM			
SCHRS	Hobie 18 SX	1.11	2	206.4	5.52	5.388	2.44	16	7.65	6.32	5.7			0.57	2	B	no LTM			
SCHRS	Hobie 20 Formula	1.011	2	190.5	5.89	5.749	2.5	17.73	8.45	5.29	5.403	25		0.6	2	B	no LTM			
SCHRS	Hobie 21	0.99	2	256	6.47	6.315	3.05	21.14	9.19	8.86	6.445			0.505	2	B	no LTM			
SCHRS	Hobie 21 Spinnaker	0.944	2	262	6.47	6.315	3.05	21.14	9.19	8.86	6.445	29		0.505	2	B	no LTM			
SCHRS	Hobie 21 Spinnaker (3 Crew)	0.981	3	262	6.47	6.315	3.05	21.28	9.11	7.98	6.6	29		0.505	2	B	no LTM			
SCHRS	Hobie 21 Formula	0.943	2	242	6.47	6.315	3.05	21.15	9.28	6.99	6.08	27		0.85	2	B	no LTM			
SCHRS	Hobie Advance	1.52	2	115	3.6		2.09	7.95	5.4	2.4	4.11	8.1			1			0.35		
SCHRS	Hobie Catsy	2.092	2	75	3.1		1.66	5	3.72	0.85	2.34							no LTM		
SCHRS	Hobie Dragoon Club	1.475	2	114	3.91	3.75	2.2	9.5	6.08	2.2	4				2	B	0.525			
SCHRS	Hobie Dragoon Xtrem	1.409	2	114	3.91	3.75	2.2	9.5	6.08	2.2	4	10.3			2	B	0.525			
SCHRS	Hobie Fox F20	0.962	2	190	6.12	6.12	2.6	18	9.08	4.85	6.26	25		1.01	2			0.975		
SCHRS	Hobie FX One Cat Boat	1.084	1	148.5	5.23	5.23	2.55	14.99	8.03			17.5		0.97	1			0.68		
SCHRS	Hobie FX One Double	1.043	2	152	5.23	5.23	2.55	14.99	8.03	4	5.64	17.5		0.97	2			0.68		
SCHRS	Hobie FX Xtrem	1.045	2	155	5.23	5.23	2.55	15.06	7.97	3.85	5.7	18.99		0.95	2			0.68		
SCHRS	Hobie Getaway	1.242	1	204.12	5.04	5.04	2.34	13.703	6.858	3.019	4.572				1			no LTM		
SCHRS	Hobie Max	1.132	2	156	4.9	4.9	2.5	13.926	7.425	3.7	5.16	18.6			2	B	0.636			
SCHRS	Hobie Max Youth	1.143	2	158	4.9	4.85	2.5	13.926	7.425	3.7	5.16	17			2	B	0.636			
SCHRS	Hobie Pacific (no Spinnaker no wings)	1.132	2	175	5.47	5.338	2.5	15.5	8.35	4.15	5.687				2	B	1			
SCHRS	Hobie pacific (Spinnaker no wings)	1.087	2	181	5.47	5.338	2.5	15.5	8.35	4.15	5.687	18.1			2	B	1			
SCHRS	Hobie Cat T1	1.44	2	120	4.04	4.04	2.13	9.987	5.76	2.25	3.7				1			0.87		
SCHRS	Hobie Cat T1 Spinnaker	1.386	2	125.8	4.04	4.04	2.13	9.987	5.76	2.25	3.7	10.4			1			0.87		
SCHRS	Hobie Teddy	1.579	3	118	3.91		2.15	8.5	5.73	2.1	4.11	8.1			1			0.35		
SCHRS	Hobie Tiger F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2			1		
SCHRS	Hobie Twixxy	1.43	3	139	4.38		2.3	10.26	6.48	2.26	4.43	11			2			0.525		

SCHRS	Hobie Wave	1.492	2	114	3.99	3.84	2.13	10	5.56	2.22	3.59					B	no LTM		
SCHRS	Hobie Wildcat F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Hurricane 4.9	1.14	2	141	4.9	4.9	2.44	14.87	7.73	4.56	5.09			0.57	1	B	no LTM		
SCHRS	Hurricane 5.5	1.049	2	175	5.48	5.38	2.44	15.88	8.15	5	5.45	21		0.531	2	B	no LTM		
SCHRS	Hurricane 5.9	1.051	2	173	5.9	5.753	2.44	17.59	8.465	5.79	5.66			0.57	2	B	no LTM		
SCHRS	Hurricane 5.9 Spinnaker	1.003	2	173	5.9	5.753	2.44	17.59	8.465	5.79	5.66	21		0.57	2	B	no LTM		
SCHRS	Hurricane 5.9 Sport	1.021	2	184	5.9	5.753	2.44	17.59	8.465	5.01	5.471	21		0.57	2	B	no LTM		
SCHRS	Hurricane 5.9 SX	1.02	2	186	5.9	5.753	2.44	16.93	8.43	4.47	5.142	21		0.57	2	B	0.965		
SCHRS	Hurricane 500	1.187	2	152	4.87	4.87	2.4	14.83	7.912	3.89	4.855				2	B	no LTM		
SCHRS	Hurricane 500 Spinnaker	1.107	2	160	4.87	4.87	2.4	13.7	7.91	5.9	5.65	19			2	B	no LTM		
SCHRS	KL 15.5 - SL15.5	1.225	2	150	4.8	4.75	2.35	12.4	6.7	2.8	4.65	14			2	B	0.645		
SCHRS	KL 16	1.172	2	151	4.88	4.88	2.21	12.7	7.05	3.65	4.3	16.3			2	B	0.6		
SCHRS	KL 17 Power	1.145	2	150	5.18	5.1	2.39	13.6	7.6	3	3.9	16.3			2	B	0.6		
SCHRS	KL 17 Regate	1.169	2	172	5.18	5.15	2.4	16.5	8	3.2	4.9				2	B	0.6		
SCHRS	KL 17 Regate Spinnaker	1.121	2	178	5.18	5.15	2.4	16.5	8	3	4.9	19			2	B	0.6		
SCHRS	KL 17.5 Tonic (without Spinnaker)	1.19	2	150	5.18	5.12	2.35	13.6	8	3	4.5				2	B	0.6		
SCHRS	KL 18 Regate	1.094	2	167	5.48	5.48	2.59	18.25	8.5			19		0.8	2	B	0.6		
SCHRS	KL Booster	1.132	2	155	5.03	4.97	2.35	14.37	7.6	3.4	4.93	17			2	B	0.7		
SCHRS	KL Phoenix F18	1	2	180	5.52	5.52	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	M by Erplast	1.49	2	153.85	4.22	4.22	2.29	8.766	6.142	2.471	3.683				1		0.824		
SCHRS	M Race by Erplast	1.406	2	160.7	4.22	4.22	2.29	9.469	6.153	2.542	3.68	10.416			2		1		
SCHRS	Magic F18	1	2	180	5.52	5.52	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	Mattia 14	1.482	2	105	4.24	4.24	1.9	7.5	5.55	1.5	2.6	7		0.6	2	B	no LTM		
SCHRS	Mattia 16	1.246	2	135	4.9	4.88	2.29	11.2	6.6	2.3	3.7	9.5		0.6	2	B	no LTM		
SCHRS	Mattia 17	1.036	2	148	5.345		2.5	14.981	7.79	3.7	5.245	18		1.025	2		0.9		
SCHRS	Mattia 18 (104)	1.113	2	173	5.49	5.49	2.49	15.81	8.754	3.57	5.364			0.76	2	B	no LTM		
SCHRS	Mattia 18 (104) Spinnaker	1.064	2	180	5.49	5.49	2.49	15.7	8.75	3.7	5.8	19		0.76	2	B	no LTM		
SCHRS	Mattia 18 F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Mattia 18 Raid Spinnaker	1.023	2	176	5.52	5.52	2.6	17.63	8.74	4.5	5.63	21		0.72	2	B	no LTM		
SCHRS	Mattia 20	1.042	2	187	6.08	6.08	2.6	17.07	9.22	4.45	5.96			0.76	2	B	0.6		
SCHRS	Mattia 20 Sloop	1.005	2	200	6.08	6.08	3.01	17.8	8.85	4	5.5	21		0.76	2	B	no LTM		
SCHRS	Mattia 20 Spinnaker	1.031	2	200	6.08	6.08	2.6	21.75	10.7			21		0.76	2	B	0.6		
SCHRS	Mattia 20 Venti	1.018	2	200	6.08	6.08	2.59	17.8	8.75	4	5.5	21		0.76	2	B	no LTM		
SCHRS	Mattia Declic	1.224	2	135	4.9	4.9	2.29	12.5	6.6	3.1	3.7	10			2	B	no LTM		
SCHRS	Mattia Esse	1.09	2	157	5.48	5.46	2.21	13.94	7.75	3.3	4	15.5		0.715	2	B	0.6		
SCHRS	Mattia Esse Solo	1.188	1	151	5.48	5.46	2.21	13.94	7.75					0.715	1	B	0.6		
SCHRS	Mattia Esse Sport	1.038	2	160	5.52		2.42	14.6	7.64	4.15	5.44	19		0.9	2		0.862		
SCHRS	Mattia Esse Sport Solo	1.084	1	155	5.52	5.52	2.42	14.6	7.64			19		0.9	1		0.862		
SCHRS	Mattia Flash F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Mattia Smile	1.13	2	170	5.52		2.42	13.94	7.47	3.65	4.93	15.5			2		0.4		
SCHRS	Mattia Smile Sport	1.093	2	165	5.52		2.42	14.6	7.64	4.15	5.74	17.5			2		0.4		
SCHRS	Miracle 20	1.017	2	185	5.94	5.77	2.59	16.87	8.98	4.66	5.52	20.5		0.8	2	B	no LTM		
SCHRS	Miracle 20 (without Spinnaker)	1.068	2	185	5.94	5.77	2.59	16.87	8.98	4.66	5.52			0.8	2	B	no LTM		
SCHRS	Mystere 2000 F20	1	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	Mystere 5.0	1.198	2	144	5	4.95	2.5	12.52	7.8	4.36	5.56				1	B	no LTM		
SCHRS	Mystere 5.0 XI	1.143	2	146.1	5	4.96	2.5	14.31	8.02	4.56	5.278				2	B	0.68		
SCHRS	Mystere 5.5 Fun	1.095	2	185	5.57	5.54	2.514	16.91	8.35	5.69	5.358				2	B	0.72		
SCHRS	Mystere 5.5 Master	1.059	2	191	5.57	5.54	2.5	18.16	8.37	5.69	5.8			0.585	2	B	0.72		
SCHRS	Mystere 5.5 Master Spinnaker	1.016	2	197	5.57	5.54	2.5	18.16	8.37	5.69	5.8	21.08		0.585	2	B	0.72		
SCHRS	Mystere 6.0	0.989	2	218	6.01	6	2.59	19.74	8.8	5.38	5.77	24		0.585	2	B	0.8		
SCHRS	Mystere Twister F18	1	2	180	5.52	5.52	2.6	17	8.53	4.15	5.73	21		1.4	2		1		
SCHRS	Nacra 15	1.091	2	150	4.7		2.34	13.6	7.52	3.3	4.6	16.46		0.95	2		0.88	0.02	
SCHRS	Nacra 16 Solo curved foils	1.045	1	134	5	5	2.5	15	8.1			17.5		1	1		0.925	0.02	
SCHRS	Nacra 16 Double curved foils	1.022	2	138	5	5	2.5	15	8.1	3.7	5.64	17.5		1	2		0.925	0.02	
SCHRS	Nacra 16 Solo	1.062	1	134	5	5	2.5	15	8.1			17.5		1.18	1		0.925		
SCHRS	Nacra 16 Double	1.038	2	138	5	5	2.5	15	8.1	3.7	5.64	17.5		1.18	2		0.925		
SCHRS	Nacra 17 "C" foils	0.991	2	146.6	5.25	5.25	2.59	16.17	8.65	4.03	5.818	18.95		1.16	2		0.98	0.015	
SCHRS	Nacra 17 Olympic Class full foiler	0.973	2	163	5.25	5.25	2.59	16.17	8.65	4.026	5.75	17.572	68.82	1.522	2		0.98	0.04	
SCHRS	Nacra 18m2	1.093	1	170	5.47	5.35	3.3	17.79	9.48					0.763	1	B	0.535		

SCHRS	Nacra F20 Carbon	0.877	2	165	6.2	6.2	3.2	21.07	10.03	5.32	6.947	27.9		1.05	2		1.21		0.015
SCHRS	Nacra 20 One Design	0.96	2	192	6.12	6.1	2.6	19.2	9	4.72	6.26	25		0.97	2	B	1.03		
SCHRS	Nacra F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Nacra 4.5	1.273	2	142	4.5	4.35	2.45	13.23	7.21	3.35	4.49				2	B	no LTM		
SCHRS	Nacra 4.5 Solo	1.326	1	139	4.5	4.35	2.45	13.23	7.21						1	B	no LTM		
SCHRS	Nacra 460	1.271	2	142	4.54	4.54	2.35	12.3	7.3	2.88	4.42				2	B	0.75		
SCHRS	Nacra 460 Solo	1.304	1	139	4.54	4.54	2.35	12.3	7.3						1	B	0.75		
SCHRS	Nacra 460 Solo Spinnaker	1.236	1	146	4.54	4.54	2.35	12.3	7.3			15			1	B	0.75		
SCHRS	Nacra 460 Sport	1.209	2	149	4.54	4.54	2.35	12.3	7.3	3.15	4.84	15			2	B	0.75		
SCHRS	Nacra 5.0 Cat Boat	1.256	1	154	5.08	5.07	2.5	14.08	7.91						1	B	no LTM		
SCHRS	Nacra 5.0 Double	1.165	2	147	5.08	5.07	2.5	14.08	7.91	4.3	4.66				2	B	no LTM		
SCHRS	Nacra 5.0 Double Spinnaker	1.125	2	153	5.08	5.07	2.5	14.08	7.91	4.3	4.66	14			2	B	no LTM		
SCHRS	Nacra 5.2	1.121	2	155	5.14	5.14	2.44	15.5	7.85	4.12	5			0.763	2	B	no LTM		
SCHRS	Nacra 5.2 Spinnaker	1.077	2	161	5.14	5.14	2.44	15.5	7.85	4.12	5	16.3		0.763	2	B	no LTM		
SCHRS	Nacra 5.5 Raid	1.088	2	176	5.47	5.45	2.59	16.26	8.44	4.72	5.687			0.763	2	B	no LTM		
SCHRS	Nacra 5.5 Raid Spinnaker	1.038	2	182	5.47	5.45	2.59	16.36	8.44	4.72	5.687	21		0.763	2	B	no LTM		
SCHRS	Nacra 5.5 SL	1.068	2	176	5.47	5.45	2.59	16.356	8.436	5.85	5.79			0.763	2	B	no LTM		
SCHRS	Nacra 5.5 SL Spinnaker	1.025	2	182	5.47	5.45	2.59	16.356	8.436	5.85	5.79	19.5		0.763	2	B	no LTM		
SCHRS	Nacra 5.7 Race	1.122	2	166	5.65	5.46	2.5	15.459	8.54	5.018	4.991				2	B	no LTM		
SCHRS	Nacra 5.7 Race Spinnaker	1.084	2	174	5.65	5.46	2.5	15.459	8.54	5.018	4.991	16			2	B	no LTM		
SCHRS	Nacra 5.8 Spinnaker	1.02	2	196.5	5.85	5.82	2.5	16.71	7.75	5.31	5.42	24		0.79	2	B	no LTM		
SCHRS	Nacra 500 Solo	1.229	1	147	5.08	5.08	2.44	14.15	7.75						1	B	0.63		
SCHRS	Nacra 500 Solo Spinnaker	1.165	1	154	5.08	5.08	2.44	14.15	7.75			17			1	B	0.63		
SCHRS	Nacra 500 Double	1.171	2	150	5.08	5.08	2.44	14.15	7.75	3.52	5.05				2	B	0.63		
SCHRS	Nacra 500 Sport Spinnaker	1.119	2	157	5.08	5.08	2.44	14.15	7.75	3.71	5.52	17			2	B	0.63		
SCHRS	Nacra 570 (without Spinnaker)	1.088	2	163	5.65	5.65	2.5	16.55	8.55	4.55	5.05				2	B	0.88		
SCHRS	Nacra 570 Sport Spinnaker	1.04	2	170	5.65	5.65	2.5	16.55	8.55	4.55	6	21			2	B	0.88		
SCHRS	Nacra 580 (without Spinnaker)	1.057	2	188	5.85	5.85	2.6	17.57	8.55	4.55	5.53			0.55	2	B	0.88		
SCHRS	Nacra 580 Sport Spinnaker	1.012	2	195	5.85	5.85	2.6	16.56	8.6	4.68	5.68	23		0.55	2	B	0.88		
SCHRS	Nacra 6.0 Spinnaker	0.993	2	202	6.07	5.77	2.59	17.48	9.34	6.23	6.12	24		0.79	2	B	no LTM		
SCHRS	Nacra 6.0 Raid Spinnaker	1.007	2	206	6.07	5.77	2.59	17.48	9.34	5.27	6	25		0.79	2	B	no LTM		
SCHRS	Nacra 6.0 SE Spinnaker	0.98	2	205	6.07	5.77	3.05	19.47	9.23	5.64	6.74	22.56		0.79	2	B	no LTM		
SCHRS	Nacra Blast	1.179	2	150	4.82	4.82	2.45	13.7	7.05	3.27	4.78	15.7			2	B	no LTM		
SCHRS	Nacra F17 Sloop	1.043	2	155	5.22	5.22	2.44	15.317	8.72	3.88	5.64	19		0.78	2		0.82		
SCHRS	Nacra F17 Solo	1.071	1	151	5.22	5.22	2.44	15.25	8.55			19		0.78	1		0.82		
SCHRS	Nacra F20 Carbon FCS	0.856	2	192	6.2	6.2	3.2	21.066	10.03	5.32	6.947	27.9		2.35	2		1.21		0.04
SCHRS	Nacra Infusion F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Nacra Inter17 XI Solo	1.178	1	157	5.22	5.22	2.59	13.84	8.16					0.982	1		0.61		
SCHRS	Nacra Inter17 XI Solo Spinnaker	1.108	1	163	5.22	5.22	2.59	13.84	8.16			19		0.982	1		0.61		
SCHRS	Nacra Inter 18 F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21		1.4	2		1		
SCHRS	Nacra Inter 20 F20	0.97	2	190	6.1	6.1	2.59	18	8.9	4.85	6.36	25		0.97	2		0.695		
SCHRS	New Cat F1	1.424	2	125	4.2	4.1	2.2	10.26	6.2	2.5	4.05				1	B	no LTM		
SCHRS	New Cat F2	1.467	2	120	4.2	4.1	2.2	9.22	5.81	2.5	4				1	B	no LTM		
SCHRS	New Cat Swing	1.23	2	178	4.9		2.35	11.5	7.32	3.15	5.17	16			2		0.55		
SCHRS	New Marine 16 Swing Cat Boat	1.25	1	178	4.9	4.9	2.35	11.5	7.32			18.5			1	B	0.55		
SCHRS	New Marine 16 Swing Double	1.192	2	178	4.9	4.9	2.35	11.5	7.32	4.15	5.17	18.5			1	B	0.55		
SCHRS	Paper Tiger	1.325	1	73	4.267	4.1	2.133	9.3	6.096					0.5	1	B	no LTM		
SCHRS	Prindle 15	1.314	1	118	4.56	4.47	2.35	13.083	6.93						1	B	no LTM	SH	
SCHRS	Prindle 16	1.236	2	136	4.91	4.57	2.44	13.903	7.373	3.517	4.7				2	B	no LTM	SH	
SCHRS	Prindle 18	1.149	2	152	5.49	5.18	2.41	15.254	7.87	4.386	4.85				2	B	no LTM		
SCHRS	Prindle 18-2	1.089	2	170	5.49	5.24	2.59	16.928	8.01	4.87	5.112			0.495	2	B	0.6		
SCHRS	Prindle 18-2 Spinnaker	1.046	2	176	5.49	5.24	2.59	16.928	8.01	4.87	5.112	18.5		0.495	2	B	0.6		
SCHRS	Prindle 19	1.065	2	175	5.88	5.64	2.59	17.785	8.43	5.11	5.511			0.495	2	B	no LTM		
SCHRS	Prindle 19 Spinnaker	1.012	2	181	5.88	5.64	2.59	18.17	8.55	4.74	5.8	25		0.495	2	B	no LTM		
SCHRS	Prindle 19 Pacer	1.082	2	186	5.88	5.64	2.59	17.622	8.63	4.54	5.743			0.495	2	B	no LTM		
SCHRS	Prindle 19 Pacer Spinnaker	1.018	2	192	5.88	5.64	2.59	18.08	8.45	5	5.5	25		0.495	2	B	no LTM		
SCHRS	Prindle Play Cat	1.294	1	115	5.1	5.1	2.15	11.61	6.5						1		no LTM		
SCHRS	Raptor F16	1.023	2	107	5	5	2.5	15	8.1	3.7	6	17.5		0.75	2		0.85		
SCHRS	RS Cat 16 Club	1.359	1	134	4.7	4.7	2.35	10.5	6.74								0.863		

SCHRS	RS Cat 16 S	1.333	2	137	4.7		2.35	10.5	6.79	2.35	4.4				1	0.863		
SCHRS	RS Cat 16 XL	1.273	2	140	4.7		2.35	10.5	6.79	2.35	4.4	12.82			2	0.863		
SCHRS	S9 Stunt Solo	1.107	1	85	4.16	4.16	2.38	9.635	6.87	2.314	4.528		1.674		1	0.822	0.04	
SCHRS	Shadow	1.123	1	99	4.8	4.8	2.4	12.95	7.45			9.9	0.64		1	0.605		
SCHRS	Shadow X	1.113	1	102	4.8	4.8	2.4	12.95	7.45			13.7	0.64		1	0.605		
SCHRS	Shearwater	1.255	2	160	5.03	4.82	2.29	12.6	6.45	3.4	4.66		0.6		2	B	no LTM	
SCHRS	Shearwater Spinnaker	1.187	2	165	5.03	4.82	2.29	12.6	6.45	3.4	4.66	17.9	0.6		2	B	no LTM	
SCHRS	Shockwave F18	1	2	180	5.52	5.52	2.6	17	8.6	4.15	5.73	21	1.4		2		1	
SCHRS	SL 15.5 - KL15.5	1.225	2	150	4.8	4.75	2.35	12.4	6.7	2.8	4.65	14			2	B	0.645	
SCHRS	SL 16	1.14	2	148	4.8	4.75	2.35	13.8	7.45	3.8	5.3	17			2	B	0.69	
SCHRS	SL 5.2	1.081	2	158.5	5.18		2.53	15.48	7.89	4.2	5.36	17.6			2		1	
SCHRS	Spitfire	1.038	2	139.5	4.97	4.97	2.52	15.5	7.91	4.52	5.574	19	0.76		2		0.69	
SCHRS	Spitfire S	1.033	2	139.5	4.97	4.97	2.52	15.62	7.91	4.52	5.574	19	0.76		2		1	
SCHRS	Sprint 15 Cat Boat	1.402	1	104	4.54	4.336	2.13	10.5	6.13							B	no LTM	
SCHRS	Sprint 15 DX	1.215	1	102	4.54	4.336	2.13	11.41	6.275	2.26	3.395				1	B	0.98	
SCHRS	Sprint 15 GTI	1.394	2	104	4.54	4.336	2.13	10.5	6.13	1.97	3.01				1	B	no LTM	
SCHRS	Sprint 15 Sport Solo	1.274	1	104	4.54	4.336	2.13	10.5	6.13	1.97	3.01				1	B	no LTM	
SCHRS	Stealth F16 Double	1.011	2	107	5	5	2.5	15	8.1	3.7	5.64	17.5	1.1		2		0.95	
SCHRS	Stealth F16 Solo	1.014	1	104	5	5	2.5	15	8.1			17.5	1.1		1		0.95	
SCHRS	Stingray 5.5	1.026	2	130	5.486	5.45	2.5	17.053	8.509	5.25	5.224		0.6		2	B	0.8	
SCHRS	Supercat 15 Solo	1.217	1	133.8	4.646	4.5	2.44	15.155	7.559				0.61		1	B	no LTM	
SCHRS	Supercat 15 Double	1.154	2	133.8	4.646	4.5	2.44	15.155	7.559	4.552	4.481		0.61		2	B	no LTM	
SCHRS	Supercat 17	1.081	2	147.4	5.182	5.078	2.44	16.994	8.412	5.11	4.785		0.762		2	B	no LTM	
SCHRS	Supercat 19	1.046	2	170.1	5.791	5.715	2.44	18.945	8.412	5.11	4.785		0.914		2	B	no LTM	
SCHRS	Supercat 20	0.974	2	204.1	6.096	5.791	3.66	20.482	9.693	6.968	5.974		1.067		2	B	no LTM	
SCHRS	Supercat 20 Tall rib	0.94	2	210.9	6.096	5.791	3.66	25.449	11.156	6.968	5.974		1.067		2	B	no LTM	
SCHRS	Thundercat 18	1.078	2	163	5.47	5.35	2.5	16.86	8.77	4.15	5.151		0.57		2	B	0.8	
SCHRS	Tomahawk F20	0.991	2	187	6.08		3.05	22.23	10.58			21	0.97		2		0.98	
SCHRS	Topaz 14C	1.429	2	106	4.25		2.06	9.1	6.05	1.9	3.87				2		0.775	
SCHRS	Topaz 14CX Spinnaker	1.372	2	110	4.25		2.06	9.1	6.05	1.9	3.87	9.9			2		0.775	
SCHRS	Topaz 14Xtreme	1.274	1	110	4.25	4.25	2.06	11.25	6.57			9.9			1		0.825	
SCHRS	Topaz 16C	1.31	2	144	4.7		2.265	11.4	6.87	2.57	4.265				1		0.665	
SCHRS	Topaz 16CX	1.253	2	148	4.7		2.265	11.4	6.87	2.57	4.265	13.53			2		0.665	
SCHRS	Topaz 16S	1.378	2	141	4.7		2.265	9.85	6.87	2	4.2				1		0.665	
SCHRS	Topaz 16S Spinnaker	1.309	2	145	4.7		2.265	9.85	6.87	2	4.2	13.53			2		0.665	
SCHRS	Topcat 4.5 Solo	1.224	1	120	4.5	4.5	2.21	11	6.4	2.5	3.7				1		0.86	
SCHRS	Topcat Chico	1.751	2	85	3.6		1.98	5.8	5.3	1.4	3.38				1		no LTM	
SCHRS	Topcat F1	1.36	1	121	4.77	4.55	2	11.2	6.6						1	B		
SCHRS	Topcat F2	1.299	2	124	4.77	4.55	2	11.2	6.6	3.6	3.8				1	B		
SCHRS	Topcat K1 Classic	1.156	2	175	5.5	5.5	2.5	14.2	8.88	4.7	5.76				1			
SCHRS	Topcat K1 Streamcut	1.085	2	177	5.5	5.5	2.5	16.7	8.88	5.4	5.875				2		0.95	
SCHRS	Topcat K1 Regatta Spinnaker	1.043	2	180	5.5	5.5	2.5	16.7	8.88	5.4	5.875	18.8			2		0.95	
SCHRS	Topcat K2 Classic	1.184	2	160	5.18	5.07	2.44	13.5	8.15	4.2	5.05				2	B		
SCHRS	Topcat K2 Streamcut Regatta	1.14	2	162	5.18	5.07	2.44	15.9	8.15	4.2	5.05				2	B	0.83	
SCHRS	Topcat K2 Spinnaker	1.096	2	165	5.18	5.07	2.44	15.9	8.15	4.2	5.05	16.3			2	B	0.83	
SCHRS	Topcat K3 Classic	1.24	2	147	4.92	4.84	2.21	13	7.5	3.2	4.31				2	B		
SCHRS	Topcat K3 Streamcut	1.194	2	147	4.92	4.84	2.21	14.9	7.5	3.2	4.31				2	B	0.91	
SCHRS	Topcat K3 Regatta Spinnaker (no jib)	1.145	2	153	4.92	4.84	2.21	14.9	7.5	3.2	4.31	16.3			2	B	0.91	
SCHRS	Topcat K3 Solo (no jib)	1.229	1	144	4.92	4.84	2.21	14.9	7.5						1	B	0.91	
SCHRS	Topcat K3 Solo Regatta Spinnaker (no jib)	1.17	1	150	4.92	4.84	2.21	14.9	7.5			16.3			1	B	0.91	
SCHRS	Topcat K4X Classic	1.337	2	115	4.5	4.5	2.21	11	6.4	2	3.7						0.83	
SCHRS	Topcat K4x Streamcut	1.289	2	117	4.5	4.5	2.21	13.1	6.4	2	3.7				1		0.83	
SCHRS	Topcat K4X Spinnaker	1.241	2	122	4.5	4.5	2.21	13.1	6.4	2	3.7	12			2		0.83	
SCHRS	Topcat Spifire 2.3	1.121	2	168	5.49	5.25	2.3	16.7	8.45	5.4	5.7				2	B	no LTM	
SCHRS	Topcat Spitfire 2.5	1.117	2	175	5.49	5.25	2.5	16.7	8.73	5.4	5.875				2	B	no LTM	
SCHRS	Tornado	0.949	2	165	6.09	5.938	3.05	17.53	8.91	5.38	6.3	25.87	0.6		2	B	0.8	
SCHRS	Tornado 24m2 Spinnaker	0.98	2	175	6.09	5.938	3.05	16.87	8.91	5.2	5.62	24	0.6		2	B	no LTM	
SCHRS	Tornado Classic	1.037	2	165	6.09	5.938	3.05	16.812	8.89	5.2	5.62		0.6		1	B	no LTM	
SCHRS	Tropic GTI	1.141	2	156	5.45	5.45	2.45	13.745	8.59	3.302	5.02		0.62		2	B	no LTM	

SCHRS	Tropic GTI Spinnaker	1.094	2	161	5.45	5.45	2.45	13.95	8.6	3.1	5	16.3		0.62	2	B	no LTM		
SCHRS	Unicorn	1.175	1	108	5.48	5.28	2.28	13.56	7.25					0.6	1	B	no LTM		
SCHRS	Ventilo 18	1.043	2	147	5.48	5.4	2.5	15.15	8.5	3.05	4.8	19		0.73	2	B	0.8		
SCHRS	Ventilo 18 HT	1.011	2	130	5.5	5.5	2.5	20	10.3			20		1.02	2		0.8		
SCHRS	Ventilo 609	0.966	2	162	6.09	5.83	2.5	17.75	9.25	4.36	6.05	24		1.02	2	B	1.2		
SCHRS	Ventilo M3 Cat Boat Spinnaker	0.981	2	175	6.09	6.09	2.9	21.84	10.5			24		1.02	2	B	1.2		
SCHRS	Ventilo Quickie	1.021	1	110	5.48	5.4	2.5	15.15	8.5			14		0.73	1	B	0.9		
SCHRS	Ventilo Zippo	1.065	2	134	5	4.95	2.5	14.1	7.55	3.7	5.5	17		0.78	2	B	0.9		
SCHRS	Warp 18	1.136	2	169	5.48	5.48	2.5	15.955	7.622	4	4.465				2	B	0.8		
SCHRS	Warp 18 Spinnaker	1.088	2	175	5.48	5.48	2.5	15.94	7.62	3.87	4.32	19			2	B	0.8		
SCHRS	Whisper	0.947	2	114	5.4	5.4	3.2	14.301	8.51	3.515	5.752	12.702	55.65	2.2	2		0.81		0.04